The State of New Hampshire
Department of Environmental Services

Michael P. Nolin
Commissioner

AGGREGATED PRECIPITATION DATA for N.H. DROUGHT MANAGEMENT AREAS

	Actual Rainfall (inches)	Normal Rainfall (inches)	Deviation from Normal (inches)	Percent of Normal
Coastal Drainage: Rockingham, Strafford counties				
four month	15.45	14.90	0.55	104%
six month	26.29	21.42	4.87	123%
nine month	43.41	31.26	12.15	139%
twelve month	47.14	40.56	6.58	116%
Southern Interior: Belknap, Hillsborough, Merrimack counties				
four month	13.32	14.81	-1.49	90%
six month	21.78	21.63	0.15	101%
nine month	36.36	31.64	4.72	115%
twelve month	39.42	41.08	-1.66	96%
South Western: Cheshire, Sullivan counties				
four month	12.28	14.48	-2.20	85%
six month	21.64	21.44	0.20	101%
nine month	33.27	31.76	1.51	105%
twelve month	36.19	41.18	-5.00	88%
White Mountain: Carroll, Grafton counties				
four month	12.04	14.46	-2.42	83%
six month	21.97	21.78	0.19	101%
nine month	33.83	32.04	1.79	106%
twelve month	36.67	40.66	-4.00	90%
North Country: Coos county				
four month	13.13	13.80	-0.67	95%
six month	24.58	21.76	2.82	113%
nine month	35.28	32.28	3.00	109%
twelve month	39.03	40.24	-1.21	97%

four month period : September 2004 - December 2004
six month period : July 2004 - December 2004
nine month period : April 2004 - December 2004
twelve month period: January 2004 - December 2004

Source: Northeast River Forecast Center, NH Des Dam Bureau

P.O. Box 95, 29 Hazen Drive, Concord, New Hampshire 03302-0095
Telephone: (603) 271-3503 • Fax: (603) 271-7894 • TDD Access: Relay NH 1-800-735-2964
DES Web site: **www.des.nh.gov**

TWELVE MONTH AGGREGATED PRECIPITATION DATA for N.H. DROUGHT MANAGEMENT AREAS from January 2004 through December 2004



NH DES Dam Bureau, Northeast River Forecast Center

MONTHLY PRECIPITATION DATA FOR N.H COUNTIES

		2004 JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
Coastal drainage													
STRAFFORD	actual	0.70	1.34	1.50	8.23	6.68	2.58	4.85	6.57	5.09	2.05	4.32	4.15
	normal	3.12	2.72	3.20	3.40	3.28	3.04	3.12	3.28	3.32	3.48	4.12	3.76
	deviation	-2.42	-1.38	-1.70	4.83	3.40	-0.46	1.73	3.29	1.77	-1.43	0.20	0.39
ROCKINGHAM	actual	1.00	1.25	1.67	8.44	5.36	2.94	3.90	6.37	5.49	2.16	3.58	4.05
	normal	3.32	2.84	3.40	3.44	3.40	3.12	3.20	3.44	3.40	3.56	4.24	3.92
	deviation	-2.32	-1.59	-1.73	5.00	1.96	-0.18	0.70	2.93	2.09	-1.40	-0.66	0.13
Average	actual	0.85	1.30	1.59	8.34	6.02	2.76	4.38	6.47	5.29	2.11	3.95	4.10
	normal	3.22	2.78	3.30	3.42	3.34	3.08	3.16	3.36	3.36	3.52	4.18	3.84
	deviation	-2.37	-1.49	-1.72	4.92	2.68	-0.32	1.22	3.11	1.93	-1.42	-0.23	0.26
Southern Interior													
HILLSBOROUGH	actual	1.00	1.20	1.39	8.25	4.27	2.34	3.53	4.09	5.53	1.75	3.13	4.00
	normal	3.60	3.16	3.88	3.56	3.52	3.36	3.32	3.68	3.60	3.72	4.32	4.16
	deviation	-2.60	-1.96	-2.49	4.69	0.75	-1.02	0.21	0.41	1.93	-1.97	-1.19	-0.16
MERRIMACK	actual	0.74	1.18	1.40	7.36	5.71	2.53	4.37	4.48	5.20	1.83	2.97	4.06
	normal	3.16	2.84	3.40	3.36	3.36	3.20	3.28	3.44	3.36	3.44	4.00	3.92
	deviation	-2.42	-1.66	-2.00	4.00	2.35	-0.67	1.09	1.04	1.84	-1.61	-1.03	0.14
BELKNAP	actual	0.47	0.76	1.06	5.80	5.29	2.19	4.12	4.77	3.78	1.43	2.81	3.48
	normal	2.92	2.44	2.92	3.24	3.28	3.16	3.44	3.28	3.36	3.28	3.80	3.48
	deviation	-2.45	-1.68	-1.86	2.56	2.01	-0.97	0.68	1.49	0.42	-1.85	-0.99	0.00
Average	actual	0.74	1.05	1.28	7.14	5.09	2.35	4.01	4.45	4.84	1.67	2.97	3.85
	normal	3.23	2.81	3.40	3.39	3.39	3.24	3.35	3.47	3.44	3.48	4.04	3.85
	deviation	-2.49	-1.77	-2.12	3.75	1.70	-0.89	0.66	0.98	1.40	-1.81	-1.07	-0.01
South Western													
CHESHIRE	actual	0.83	0.94	1.13	4.92	4.87	1.89	4.51	5.55	4.21	1.12	2.41	3.60
	normal	3.28	2.80	3.48	3.40	3.44	3.44	3.28	3.68	3.52	3.36	3.84	3.76
	deviation	-2.45	-1.86	-2.35	1.52	1.43	-1.55	1.23	1.87	0.69	-2.24	-1.43	-0.16
SULLIVAN	actual	0.68	1.11	1.14	4.79	4.56	2.24	4.28	4.37	4.87	1.67	3.13	3.55
	normal	3.12	2.80	3.36	3.44	3.56	3.36	3.32	3.64	3.44	3.48	3.84	3.72
	deviation	-2.44	-1.69	-2.22	1.35	1.00	-1.12	0.96	0.73	1.43	-1.81	-0.71	-0.17
Average	actual	0.76	1.03	1.14	4.86	4.72	2.07	4.40	4.96	4.54	1.40	2.77	3.58
	normal	3.20	2.80	3.42	3.42	3.50	3.40	3.30	3.66	3.48	3.42	3.84	3.74
	deviation	-2.45	-1.78	-2.29	1.44	1.22	-1.34	1.10	1.30	1.06	-2.03	-1.07	-0.17
White Mountain													
GRAFTON	actual	0.58	0.85	1.11	3.64	5.31	2.32	4.34	5.79	2.90	1.44	3.23	3.37
	normal	2.92	2.60	3.04	3.24	3.56	3.48	3.84	3.64	3.48	3.48	3.76	3.64
	deviation	-2.34	-1.75	-1.93	0.40	1.75	-1.16	0.50	2.15	-0.58	-2.04	-0.53	-0.27
CARROLL	actual	0.60	1.36	1.17	5.21	5.22	2.03	4.49	5.23	3.71	1.62	3.81	4.00
	normal	3.00	2.60	3.08	3.32	3.48	3.44	3.68	3.48	3.44	3.52	3.92	3.68
	deviation	-2.40	-1.24	-1.91	1.89	1.74	-1.41	0.81	1.75	0.27	-1.90	-0.11	0.32
Average	actual	0.59	1.11	1.14	4.43	5.27	2.18	4.42	5.51	3.31	1.53	3.52	3.69
	normal	2.96	2.60	3.06	3.28	3.52	3.46	3.76	3.56	3.46	3.50	3.84	3.66
	deviation	-2.37	-1.50	-1.92	1.15	1.75	-1.29	0.66	1.95	-0.16	-1.97	-0.32	0.03
North Country													
COOS	actual	0.86	1.37	1.52	3.20	4.80	2.70	4.89	6.56	2.88	1.97	4.25	4.03
	normal	2.72	2.48	2.76	3.04	3.32	4.16	3.96	4.00	3.40	3.48	3.48	3.44
	deviation	-1.86	-1.11	-1.24	0.16	1.48	-1.46	0.93	2.56	-0.52	-1.51	0.77	0.59

Source: Northeast River Forecast Center, NH DES Dam Bureau

LAMPREY RIVER near NEWMARKET NH
Gage# 01073500

NEW HAMPSHIRE DEPARTMENT OF Environmental Services

MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS



	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Monthly Mean Flow	189	161	799	712	337	220	32	80	53	206	338	498	212	79	241	1125	529	207	56	89	145	119	217	511
Mean of Monthly Flow s	282	303	610	687	348	192	92	70	70	128	260	330	281	300	605	694	351	192	91	71	71	128	259	333
% of Normal	67%	53%	131%	104%	97%	115%	35%	114%	76%	161%	130%	151%	75%	26%	40%	162%	151%	108%	62%	125%	204%	93%	84%	153%

NH DES, Dam Bureau, Source: USGS (Ice: 01/03,12/04)

SOUHEGAN RIVER at MERRIMACK NH
Gage# 01094000
MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS



	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Monthly Mean Flow	206	197	873	817	564	342	52	123	71	209	330	657	319	137	371	1181	430	184	76	71	173	154	170	565
Mean of Monthly Flow s	267	270	627	770	381	215	101	78	88	107	225	288	268	268	624	776	382	214	100	78	89	108	224	292
% of Normal	77%	73%	139%	106%	148%	159%	51%	158%	81%	195%	147%	228%	119%	51%	59%	152%	112%	81%	65%	79%	194%	143%	76%	193%

NH DES, Dam Bureau, Source: USGS (ice-01/03,02/03,03/03,01/04,02/04)

SOUCOOK RIVER at PEMBROKE ROAD
near CONCORD NH, Gage# 01089100

NEW HAMPSHIRE DEPARTMENT OF Environmental Services

MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS



	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Monthly Mean Flow	63	62	313	319	186	76	20	126	66	127	153	306	115	47	112	368	224	97	42	79	91	52	77	212
Mean of Monthly Flow s	116	116	228	275	162	99	41	40	37	76	120	138	116	111	221	281	165	99	41	42	40	75	118	142
% of Normal	54%	53%	137%	116%	115%	77%	49%	315%	178%	166%	128%	222%	99%	42%	51%	133%	136%	98%	102%	188%	228%	69%	65%	149%

NH DES, Dam Bureau, Source: USGS (ice: 01/03, 02/03, 03/03, 01/04, 02/04, 03/04).

ASHUELOT RIVER at HINSDALE NH
Gage# 01161000

MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS



	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Monthly Mean Flow	376	268	1518	1990	934	570	118	712	443	878	1290	1932	2220	1324	769	2072	1122	437	224	334	721	408	477	1149
Mean of Monthly Flow s	601	600	1241	1880	989	524	274	229	244	349	594	670	618	608	1236	1882	991	523	274	230	249	350	593	675
% of Normal	63%	45%	122%	106%	94%	109%	43%	311%	182%	252%	217%	288%	359%	218%	62%	110%	113%	84%	82%	145%	290%	117%	80%	170%

NH DES, Dam Bureau, Source: USGS (ice: 01/03,02/03,03/03,01/04,02/04,03/04)

PEMIGEWASSET RIVER at PLYMOUTH NH
Gage# 01076500

MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS



	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Monthly Mean Flow	448	348	2641	2683	2116	799	380	1737	1083	2644	2800	3495	936	380	949	3009	2191	681	563	654	890	393	1416	2833
Mean of Monthly Flow s	868	730	1736	3933	2762	1152	635	513	595	970	1342	1152	869	726	1728	3924	2756	1147	634	515	598	964	1342	1169
% of Normal	52%	48%	152%	68%	77%	69%	60%	339%	182%	271%	209%	303%	108%	52%	55%	77%	79%	59%	89%	127%	149%	41%	106%	242%

NH DES, Dam Bureau, Source: USGS (ice: 01/03,02/03,03/03,12/03,01/04,02/04,03/04,12/04)

AMMONOOSUC RIVER at BETHLEHEM JUNCTION NH
Gage# 01137500

MONTHLY MEAN FLOW COMPARED TO MEAN OF MONTHLY FLOWS

This station replaces gage# 01137000 which was discontinued by DES at the end of Sept 2004



	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Monthly Mean Flow	73	47	232	366	328	163	68	160	112	395	403	537	146	64	138	501	397	131	82	130	135	64	207	282
Mean of Monthly Flow s	119	106	191	513	505	204	105	93	99	158	221	172	120	105	190	513	503	203	105	94	100	157	221	174
% of Normal	61%	44%	121%	71%	65%	80%	65%	172%	113%	250%	182%	312%	122%	61%	73%	98%	79%	65%	78%	138%	135%	41%	94%	162

NH DES, Dam Bureau, Source: USGS(ice:01/04,02/04,03/04,12/04)

STREAMFLOW DATA FOR SELECTED NH STATIONS AS OF JANUARY 20, 2005

Station number	Station name		Est. Mean Flow (cfs) 1/20/2005	Long Term Median Flow 1/20/2005	99% Flow (cfs)	7Q10 Flow (cfs)		Lowest Period of Record Daily Flow (cfs)	% of Median	Below 0.99 Flow?	Below 7Q10 Flow?	Below Record Flow?
Androscoggin River Basin												
01052500	Diamond River near Wentworth Location, NH	Ice		102	22	16		6.8	#VALUE!	#VALUE!	#VALUE!	#VALUE!
01053500	Androscoggin River at Errol, NH		2,490	1,729	500	451		0	144%	FALSE	FALSE	FALSE
01054000	Androscoggin River near Gorham, NH		2,370	1,995	1300	1310		795	119%	FALSE	FALSE	FALSE
Saco River Basin												
01064500	Saco River near Conway, NH	Ice		338	105	97		66	#VALUE!	#VALUE!	#VALUE!	#VALUE!
01064801	BEARCAMP RIVER AT SOUTH TAMWORTH, NH	Ice		57.5	6	4.8		4.5	#VALUE!	#VALUE!	#VALUE!	#VALUE!
Piscataqua River Basin												
01072100	SALMON FALLS RIVER AT MILTON, NH		234	146	27	24		16	160%	FALSE	FALSE	FALSE
01073500	LAMPREY RIVER NEAR NEWMARKET, NH		375	197	7	5	--		190%	FALSE	FALSE	
Merrimack River Basin												
01074520	EAST BRANCH PEMIGEWASSET RIVER AT LINCOLN, NH		231	133	55	49		46	174%	FALSE	FALSE	FALSE
01075000	PEMIGEWASSET RIVER AT WOODSTOCK, NH	Ice		158	65	56	--		#VALUE!	#VALUE!	#VALUE!	
01076000	BAKER RIVER NEAR RUMNEY, NH	Ice		90	18	15	--		#VALUE!	#VALUE!	#VALUE!	
01076500	PEMIGEWASSET RIVER AT PLYMOUTH, NH	Ice		550	130	118		45	#VALUE!	#VALUE!	#VALUE!	#VALUE!
01078000	SMITH RIVER NEAR BRISTOL, NH	Ice		60	7	6.2		2.7	#VALUE!	#VALUE!	#VALUE!	#VALUE!
01081000	WINNIPESAUKEE RIVER AT TILTON, NH		1,010	650	143	136		48	155%	FALSE	FALSE	FALSE
01081500	MERRIMACK RIVER AT FRANKLIN JUNCTION, NH		2,420	1,680	520*	551	--		144%		FALSE	
01082000	CONTOOCOOK RIVER AT PETERBOROUGH, NH	Ice		75	5.5	6.3	--		#VALUE!	#VALUE!	#VALUE!	
01085000	CONTOOCOOK RIVER NEAR HENNIKER, NH	Ice		375	40	37	--		#VALUE!	#VALUE!	#VALUE!	
01085500	CONTOOCOOK R BL HOPKINTON DAM AT W HOPKINTON, NH		1,340	390	35	39	--		344%	FALSE	FALSE	
01086000	WARNER RIVER AT DAVISVILLE, NH		558	120	6	5.3	--		465%	FALSE	FALSE	
01087000	BLACKWATER RIVER NEAR WEBSTER, NH		177	114	15.5	13.7	--		155%	FALSE	FALSE	
01090800	PISCATAQUOG RIVER BL EVERETT DAM, NR E WEARE, NH		137	51	1.7	1.2	--		269%	FALSE	FALSE	
01091500	PISCATAQUOG RIVER NEAR GOFFSTOWN, NH		366	214	8	8.8	--		171%	FALSE	FALSE	
01092000	MERRIMACK R NR GOFFS FALLS, BELOW MANCHESTER, NH		5,850	3,300	560*	644		98*	177%		FALSE	
01094000	SOUHEGAN RIVER AT MERRIMACK, NH		541	175	15	12.9	--		309%	FALSE	FALSE	
Connecticut River Basin												
01129200	CONNECTICUT R BELOW INDIAN STREAM NR PITTSBURG, NH		606	802	50	42		30	76%	FALSE	FALSE	FALSE
01129440	MOHAWK RIVER NEAR COLEBROOK NH	Dis			8.5	7.4		5.3		#VALUE!	#VALUE!	#VALUE!
01129500	CONNECTICUT RIVER AT NORTH STRATFORD, NH	Ice		1,150	220	176		108	#VALUE!	#VALUE!	#VALUE!	#VALUE!
01130000	UPPER AMMONOOSUC RIVER NEAR GROVETON, NH	Dis			55	49		32		#VALUE!	#VALUE!	#VALUE!
01131500	CONNECTICUT RIVER NEAR DALTON, NH		2,220	1,750	410	389		115	127%	FALSE	FALSE	FALSE
01137500	AMMONOOSUC RIVER AT BETHLEHEM JUNCTION, NH	Ice		77	32	28		21	#VALUE!	#VALUE!	#VALUE!	#VALUE!
01138500	CONNECTICUT RIVER AT WELLS RIVER, VT		5,660	3,300	480*	690		152*	172%		FALSE	
01144500	CONNECTICUT RIVER AT WEST LEBANON, NH		6,140	4,200	380*	902		82*	146%		FALSE	
01145000	MASCOMA RIVER AT WEST CANAAN, NH	Dis			5.6	4.4	--			#VALUE!	#VALUE!	
01150500	MASCOMA RIVER AT MASCOMA, NH	Dis			27	26		2		#VALUE!	#VALUE!	#VALUE!
01152500	SUGAR RIVER AT WEST CLAREMONT, NH	Ice		220	40	38		14	#VALUE!	#VALUE!	#VALUE!	#VALUE!
01154500	CONNECTICUT RIVER AT NORTH WALPOLE, NH		10,900	5,200	260*	1058		115*	210%		FALSE	
01158000	ASHUELOT RIVER BELOW SURRY MT DAM, NEAR KEENE, NH		421	89.5	4.5	2.7		0.4	470%	FALSE	FALSE	FALSE
01158600	OTTER BROOK BELOW OTTER BROOK DAM, NEAR KEENE, NH		198	38	1.6	1.1		0.3	521%	FALSE	FALSE	FALSE
01160350	ASHUELOT RIVER AT WEST SWANZEY, NH	Ice		420	50	45		12	521%	#VALUE!	#VALUE!	#VALUE!

*Flow duration and record low mean daily flow significantly affected by reservoir operations

**Estimated

Discontinued gage 10/1/04

Source: USGS, NH DES

SUMMARY	Below 0.99 Flow?	Below 7Q10 Flow?	Below Record Flow?
FALSE =	16	21	9
TRUE =	0	0	0

New Hampshire Groundwater Levels for December 2004

WELL	START OF RECORD	WATER LEVEL BELOW SURFACE DATUM (ft)	NET CHANGE IN ONE MONTH (ft)	NET CHANGE IN ONE YEAR (ft)	MEDIAN	RANGE (ft)	DEPARTURE FROM MONTHLY MEDIAN (FT)	PERCENT OF RANGE	STATUS
ALBANY 14	1995	5.26	1.66	-1.42	6.17	2.33	0.91	39.1	NORMAL
ALBANY 15	1995	7.05	1.88	-2.45	8.17	3.57	1.12	31.4	NORMAL
BARNSTEAD 10	1995	2.54	0.49	-0.04	----	----	----	----	----
CAMPTON 34	1988	11.78	1.68	-1.71	12.76	2.69	0.98	36.4	ABOVE NORMAL
COLEBROOK 73	1995	7.52	0.11	-0.42	7.1	0.51	-0.42	-82.4	BELOW NORMAL
CONCORD 2	1963	40.76	-0.31	1.45	41.69	4.04	0.93	23	NORMAL
CONCORD 4	1966	17.42	0.73	-0.73	17.74	1.89	0.32	16.9	NORMAL
DEERFIELD 46	1984	38.87	0.24	-0.41	39.19	1.2	0.32	26.7	ABOVE NORMAL
ENFIELD 30	1990	6.94	2.45	-5.13	7.15	5.34	0.21	3.9	NORMAL
ERROL 1	1966	----	----	----	13.1	----	----	----	----
FRANKLIN 1	1966	12.59	-0.17	-1.92	13.56	4.29	0.97	22.6	NORMAL
GREENFIELD 75	1995	62.62	-0.40	0.16	62.57	2.82	-0.05	-1.8	NORMAL
HOOKSETT 5	1965	47.92	0.96	-0.3	47.9	3.91	-0.02	-0.5	NORMAL
KEENE 2	1963	3.16	0.18	-0.81	3.37	2.36	0.21	8.9	NORMAL
LANCASTER 1	1966	2.60	-1.3	-1.6	1.65	0.83	-0.95	-114.5	BELOW NORMAL
LEE 1	1953	30.78	0.53	0.03	31.07	0.94	0.29	30.9	ABOVE NORMAL
LISBON 19	1990	12.41	2.11	-0.4	13.25	2.27	0.84	37	NORMAL
NASHUA 218	1964	27.21	1.01	-0.03	28.24	1.06	1.03	97.2	ABOVE NORMAL
NEW DURHAM 53	1986	18.90	0.66	-0.36	18.93	0.84	0.03	3.6	NORMAL
NEW LONDON 1	1947	6.46	5.6	-2.3	8.24	4.53	1.78	39.3	ABOVE NORMAL
NEWPORT 3	1995	5.29	1.4	-1.5	5.83	2.04	0.54	26.5	NORMAL
NEWPORT 6	1995	5.38	1.43	-1.52	5.89	2.76	0.51	18.5	NORMAL
OSSIPEE 38	1995	35.85	0.28	-0.64	35.79	0.77	-0.06	-7.8	NORMAL
SHELBURNE 2	1995	4.54	0.65	-1.62	4.11	1.1	-0.43	-39.1	NORMAL
WARNER 1	1965	31.61	-0.34	-2.49	31	2.7	-0.61	-22.6	NORMAL

Source: USGS, NH DES



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS



Highest and lowest month-end water levels are monthly extremes for the period of record
Above-normal is the 75% quartile (25% of month-end water levels were higher)
Below-normal is the 25% quartile (25% of month-end water levels were lower)
Median is the 50% quartile (half of the month-end water levels were higher or lower)
Water levels after September 2000 are provisional and subject to revision.

Source: NH DES, Dam Bureau, USGS

Drought Severity Index by Division

Weekly Value for Period Ending 15 JAN 2005

Long Term Palmer



- -4.0 or less (Extreme Drought)
- -3.0 to -3.9 (Severe Drought)
- -2.0 to -2.9 (Moderate Drought)
- -1.9 to +1.9 (Near Normal)
- +2.0 to +2.9 (Unusual Moist Spell)
- +3.0 to +3.9 (Very Moist Spell)
- +4.0 and above (Extremely Moist)



This is the amount of rainfall required in a week's time to bring the index back to zero inches required.